








SOCKET 939 CLOSE

REVISED	EC NO: SH2008-0377	DRWN:XYGOU	CHKD:ZHANG JIAN	APPR:ASHR	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
								mm	INCH	MM ONLY	DATE							
							▽=0	4 PLACES	± ---	± ---	AYIN	2005/03/23			SOCKET 939/940/AM2/AM3			
							∠=0	3 PLACES	± ---	± ---	CHECKED BY	DATE						
								2 PLACES	± 0.25	± ---	JCHIANG	2005/03/23						
								1 PLACE	± 0.25	± ---	APPROVED BY	DATE						
								ANGULAR ± 3 °		VYAP	2005/03/23							
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTES								
								SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



F
E
D
C
B
A

F
E
D
C
B
A



NOTES:

1. MATERIAL: HOUSING : LIQUID CRYSTAL POLYMER(LCP), G.F.,UL 94V-0, COLOR: BLACK
COVER: LIQUID CRYSTAL POLYMER(LCP), G.F.,UL 94V-0, COLOR: NATURAL
LEVER: STAINLESS STEEL
TERMINAL: COPPER ALLOY
SOLDER BALL: TIN-LEAD ALLOY(Sn-Pb),FOR LEADED
Sn-Ag-Cu ALLOY FOR LEADED FREE

2. PLATING: UNDER PLATE: NICKEL THICKNESS=50 MICROINCH/1.27MICROMETER MINIMUM
CONTACT AREA: GOLD THICKNESS SEE NOTE 7

3. PRODUCT SPECIFICATION REFER TO PS-47099-001

4. PACKAGING REFER TO PK-47099-001

5. NO THROUGH HOLE AT PAD AREA

6. PRODUCT LIST 47099-* 1 * *
0: LEADED,1: LEAD FREE
4: Au THICKNESS GOLD FLASH, 2: 15u"MIN, 3: 30u"MIN, 4: 10u"MIN
SOCKET WITH MYLAR/HARD TRAY PACKAGE
9: SOCKET 939, 0: SOCKET 940, 2:SOCKET AM2, 8:SOCKET AM3

7. DATE CODE: * * * * * FOR LEADED
MANUFACTURE CODE
WORKING DAY(1:MONDAY:7:SUNDAY)
WORKING WEEK OF THE YEAR
WORKING YEAR(5:Y2005)
* * * * * LF FOR LEADED FREE
MANUFACTURE CODE
WORKING DAY(1:MONDAY:7:SUNDAY)
WORKING WEEK OF THE YEAR
WORKING YEAR(5:Y2005)

REVISED	EC NO: SH2008-0377	DRWN:XYGOU 2008/01/16 CHKD:ZHANG JIAN 2008/02/29 APPR:ASHR 2008/03/21	DESCRIPTION	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
						mm	INCH	DRAWN BY AYIN		DATE 2005/03/23		TITLE SOCKET 939/940/AM2/AM3
					4 PLACES	± ---	± ---	CHECKED BY JCHIANG		DATE 2005/03/23		
					3 PLACES	± ---	± ---	APPROVED BY VYAP		DATE 2005/03/23		
					2 PLACES	± 0.25	± ---	MATERIAL NO. SEE NOTES		DOCUMENT NO. SD-47099-001		
1 PLACE	± 0.25	± ---										
					ANGULAR ± 3 °		MOLEX MOLEX INCORPORATED					
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					