

Cam Levers with external thread, inch

Item description/product images

INCH Parts



Description

Material:

Handle cast aluminum EN AC-46200.

Thrust washer plastic PA 66 GF 35-X fiberglass reinforced.

Hinge pin stainless steel 1.4305 (AISI 303 equivalent).

Stud and washer steel quality class 5.8 or stainless steel 1.4305 (AISI 303 equivalent).

Version:


Handle black powder-coated.

Thrust washer black.

Hinge pin bright.

Threaded stud and washer trivalent blue passivated steel or bright stainless steel.

Drawings



Order No.	Material	Color	D	D1	D2	B	B1	H	H1	A	A1	Travel S	L	Clamping force F (kN)	Hand force FH N
K0005.95014ADX10	steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95014ADX15	steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95014ADX30	steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.95014AEX10	steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95014AEX15	steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95014AEX30	steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.05014AEX15	steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	15	2,5	100
K0005.05014AEX20	steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100

Cam Levers with external thread, inch

Order No.	Material	Color	D	D1	D2	B	B1	H	H1	A	A1	Travel S	L	Clamping force F (kN)	Hand force FH N
K0005.05014AEX30	steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05014A0X20	steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05014A0X30	steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05014A0X40	steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05014A0X50	steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.05014A1X20	steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05014A1X30	steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05014A1X40	steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05014A1X50	steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.15014A1X20	steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15014A1X30	steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15014A1X40	steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15014A1X50	steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.15014A2X20	steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15014A2X30	steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15014A2X40	steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15014A2X50	steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.25014A3X25	steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25014A3X30	steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25014A3X40	steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25014A3X50	steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.25014A4X25	steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25014A4X30	steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25014A4X40	steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25014A4X50	steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.95114ADX10	stainless steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95114ADX15	stainless steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95114ADX30	stainless steel	ruby red	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.95114AEX10	stainless steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95114AEX15	stainless steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95114AEX30	stainless steel	ruby red	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.05114AEX15	stainless steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	15	2,5	100
K0005.05114AEX20	stainless steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05114AEX30	stainless steel	ruby red	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05114A0X20	stainless steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05114A0X30	stainless steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05114A0X40	stainless steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05114A0X50	stainless steel	ruby red	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.05114A1X20	stainless steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05114A1X30	stainless steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05114A1X40	stainless steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05114A1X50	stainless steel	ruby red	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.15114A1X20	stainless steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15114A1X30	stainless steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15114A1X40	stainless steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15114A1X50	stainless steel	ruby red	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.15114A2X20	stainless steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15114A2X30	stainless steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15114A2X40	stainless steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15114A2X50	stainless steel	ruby red	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.25114A3X25	stainless steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25114A3X30	stainless steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25114A3X40	stainless steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25114A3X50	stainless steel	ruby red	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.25114A4X25	stainless steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25114A4X30	stainless steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25114A4X40	stainless steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25114A4X50	stainless steel	ruby red	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.95011ADX10	steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95011ADX15	steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95011ADX30	steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.95011AEX10	steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90

Cam Levers with external thread, inch

Order No.	Material	Color	D	D1	D2	B	B1	H	H1	A	A1	Travel S	L	Clamping force F (kN)	Hand force FH N
K0005.95011AEX15	steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95011AEX30	steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.05011AEX15	steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	15	2,5	100
K0005.05011AEX20	steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05011AEX30	steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05011A0X20	steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05011A0X30	steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05011A0X40	steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05011A0X50	steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.05011A1X20	steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05011A1X30	steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05011A1X40	steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05011A1X50	steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.15011A1X20	steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15011A1X30	steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15011A1X40	steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15011A1X50	steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.15011A2X20	steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15011A2X30	steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15011A2X40	steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15011A2X50	steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.25011A3X25	steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25011A3X30	steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25011A3X40	steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25011A3X50	steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.25011A4X25	steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25011A4X30	steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25011A4X40	steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25011A4X50	steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.95111ADX10	stainless steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95111ADX15	stainless steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95111ADX30	stainless steel	black	6-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.95111AEX10	stainless steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	10	1,5	90
K0005.95111AEX15	stainless steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	15	1,5	90
K0005.95111AEX30	stainless steel	black	8-32	12	6	14,4	11,5	9	13	36,2	41,7	1	30	1,5	90
K0005.05111AEX15	stainless steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	15	2,5	100
K0005.05111AEX20	stainless steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05111AEX30	stainless steel	black	8-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05111A0X20	stainless steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05111A0X30	stainless steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05111A0X40	stainless steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05111A0X50	stainless steel	black	10-24	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.05111A1X20	stainless steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	20	2,5	100
K0005.05111A1X30	stainless steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	30	2,5	100
K0005.05111A1X40	stainless steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	40	2,5	100
K0005.05111A1X50	stainless steel	black	10-32	15,4	8	18	13	11,2	17	52,3	59,1	1	50	2,5	100
K0005.15111A1X20	stainless steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15111A1X30	stainless steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15111A1X40	stainless steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15111A1X50	stainless steel	black	10-32	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.15111A2X20	stainless steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	20	4	120
K0005.15111A2X30	stainless steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	30	4	120
K0005.15111A2X40	stainless steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	40	4	120
K0005.15111A2X50	stainless steel	black	1/4-20	18,1	9	21,5	15	14,5	22	70,4	79,2	1,2	50	4	120
K0005.25111A3X25	stainless steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25111A3X30	stainless steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25111A3X40	stainless steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25111A3X50	stainless steel	black	5/16-18	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350
K0005.25111A4X25	stainless steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	25	8	350
K0005.25111A4X30	stainless steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	30	8	350
K0005.25111A4X40	stainless steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	40	8	350
K0005.25111A4X50	stainless steel	black	3/8-16	27,1	11	33,3	24	18	28,5	96	108	1,5	50	8	350

