

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

SEZ. A-A

COLOR CODE STRIP ALLOCATO IN QUESTA AREA DEL COPERCHIO
(COLOR CODE STRIP LOCATED ON THE COVER AS SHOWN)

SEZ. A-A

15.0 REF. +0 -0.3

24.5 -0.3

22.7

+0.1 -0.3

5.5 -0.3

2.5

1.5

+0.1 -0.3

1.0

9.2 -0.2

0.8 ±0.2

1.5 -0.3

0

23.6

14 MAX

4 "X"

30.4

9.0 ±0.2 (STOP ON COUNTERPART)

±0.2 ALTEZZA DELLA POLARIZZAZIONE (POLARIZATION HEIGHT)

3.0

QUOTA DI ARRESTO SULLA DIMA (STOP ON COUNTERPART)

2

1

4

5

ALETTE DI POLARIZZAZIONE A FILO BLOCCHETTO (VEDERE FOGLIO 2/2) (POLARIZATION RIBS AT THE END OF CONNECTOR) (SEE SHEET 2 OF 2)

CODIFICA SPECIALE (SPECIAL CODIFICATION)

DETAGLIO DEL CONTATTO, DIMENSIONI RIFERITE AL COMPONENTE INSERITO IN CAVITÀ (ENLARGED VIEW OF TAB CONTACT DIM. REFERRED TO CONTACT INSERTED IN THE HOUSING CAVITY)

19.2 ±0.2

19.2 ±0.2

CONNETTORE COMPLETO DI CAVO (TERMINATED CONNECTOR)

24.5 MAX.

7

7.8

+0.1 -0.2

0.5

+0.1 -0.2

1.2 ±0.2

-X-

60°

DETAIL PN/s:
1-282006-3
2-282006-3
3-282006-3

POLARIZATION KEYS
(VIEW FROM "X")

5D 4D 3D 2S

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

"L"

2.45 REF.

5.0 PASSO (PITCH)

2.45 REF.

0.3 X

4

A

2

1

2.5 REF.

0.75 REF.

0.75

+0 -0.2

1.4 ±0.2

6.5 ±0.2

0.3

12

0.5

5.2

+0.1 -0.2

4.1

0.3

PN X-282002-8
PN I-2293382-2
(DETAIL "B" FOR CAVITY 1 & 2)

9

1.2 ±0.2

1.2

-X-

60°

NOTE/NOTES:

1 NUMERI DI IDENTIFICAZIONE CAVITÀ (CIRCUIT IDENTIFICATION)

2 MARCHIO DI FABBRICA LIBERA POSIZIONE (AMP LOGO FREE POSITION)

3 RETENTION TOOTH IS REQUESTED FOR THE 2 AND 3 POS. ONLY

4 PERTE PRELIMINARE, NON ANCORA IN PRODUZIONE (PRELIMINARY PART, NOT YET RELEASED FOR PRODUCTION)

5 PER QUESTI P/N LA POLARIZZAZIONE POSTERIORE DEVE INTENDERSI COMPLETA, A FINE BLOCCHETTO (per la rappresentazione vedere foglio 1/2) (FOR THE INDICATE P/N THE POLARIZATION MUST BE AT THE END OF CONNECTOR (see sheet 2 of 2).

6 CODIFICA CON DIFFERENTE DIMENSIONE (CODIFICATION WITH DIFFERENT DIMENSION).

7 BECOMES 6.5 FOR BOTH CAVITIES ON THE 2 POS., ON CAVITY N.1 AND N.3 ON THE 3 POS. AND ON CAVITY N.1 ON THE 4 POS. CONNECTOR

8 INCLUDE LA POLARIZZAZIONE DOVE E' ESISTENTE (INCLUDING POLARIZATION KEY, WHEN EXISTING)

9 DETAIL FOR PN X-282002-8 AND PN I-2293382-2, SPECIAL VERSION, SEE ALSO NOTE 3

10 P/N NON RILASCIATO PER LA PRODUZIONE (P/N NOT YET RELEASED FOR PRODUCTION)

11 ---

12 GEOMETRIA ALTERNATIVA DEL DENTINO DI AGGANCIAMENTO VEDI NOTA 3 PER ALTRI DETTAGLI (ALTERNATIVE SHAPE FOR RETENTION TOOTH, SEE NOTE 3 FOR ADDITIONAL DETAILS)

13 STATO DI FORNITURA: CONFEZIONAMENTO IN "VASSOI + SCATOLA" (PACKAGING: "ON TRAY PLUS CARTON BOX")

14 CONFEZIONAMENTO IN BOBINA OBSOLETO (PACKAGING: ON REEL OBSOLETE)

15 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

16 THE DESIRED POLARIZATION CAN BE OBTAINED BY THE TERMINATION MACHINE

17 EXCEPTION MADE FOR PN FOR THIS PN CAVITY 1 IS WITHOUT RETENTION TOOTH AND HAS THE SAME DESIGN AS THE CAVITY N.2

18 OBSOLETE PART

DETAIL FOR PN 0-282233-2 ONLY

4.2

10.8 REF.

4

1.4

0.15

PASSO 11.4-12.4 (PITCH)

2	BLOCCHETTO (HOUSING)	NATURALE (NATURAL)	PA 6.6 CARICATO VETRO (POLIAMIDE 6.6 GLASSFIBER FILLED)
1	CONTATTO (CONTACT)	STAGNATO (TIN-PLATED)	OTTONE (BRASS)
ITEM	DENOMINAZIONE (DESCRIPTION)	FINITURA / COLORE (FINISH / COLOUR)	MATERIALE (MATERIAL)
			DIAM. ISOLANTE (INS. DIA. RANGE) 3,0 max.
			RANGO FILO (WIRE RANGE) 0.5-1.5mm2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN G. ENDRIZZI 23JUL1995
CHK G. TURCO 23JUL1995
APVD G. TURCO 23JUL1995
PRODUCT SPEC
108-20065-1, 108-20065-2
APPLICATION SPEC
114-20016, 114-20016-1
WEIGHT -
Customer Drawing

NAME
MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.
-
SIZE
A2
CAGE CODE
p0779
DRAWING NO
C-282002
RESTRICTED TO
-
SCALE
-
SHEET
1
OF
6
REV
AA39

1471-9 (3/11)

A

B

C

D

4		3		2		1					
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION									
COPYRIGHT 2011		ALL RIGHTS RESERVED.									
NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 -0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L +0.2 -0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
2		4-282002-1	AA	-	-	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-1	V	2-282002-1	V	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-2	V	2-282002-2	V	1S	1-2	-	9.9	GRIGIO GREY	02-B 02-E 02-F
2		1-282002-3	V	2-282002-3	V	2D	1-2	-	9.9	ROSSO RED	02-L
2		1-282002-4	V	2-282002-4	V	1D 5 2S 5	1-2	-	9.9	BLU BLUE	02-A
2		1-282002-5	V	2-282002-5	V	1D	1-2	-	9.9	NERO BLACK	02-Q
2		3-282002-5	AA	-	-	1D	1-2	-	9.9	NERO BLACK	02-Q
2		1-282002-6	V	2-282002-6	V	-	1-2	-	9.9	NERO BLACK	-
2		1-282002-7	V	2-282002-7	V	-	1-2	-	9.9	-	-
2		1-282002-8	V	2-282002-8	V	1S 2D	1-2	-	9.9	VERDE GREEN	02-B 02-E 02-F
2		2-282002-9	I	-	-	1D 2D	1-2	-	9.9	-	-
2		3-282002-0	I	-	-	1S 1D	1-2	-	9.9	-	-
2		3-282002-4	AA	-	-	1D 5 2S 5	1-2	-	9.9	-	02-A
2		5-282002-2	A	-	-	1S 2D	1-2	-	9.9	YELLOW	02-B 02-E 02-F
2		6-282002-0	AA	-	-	1S 5 2S 5	1-2	-	9.9	RED	-
3		1-282003-1	V	2-282003-1	V	1D	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		4-282003-1	AA	-	-	1D 5	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		1-282003-2	V	2-282003-2	V	2D 3D	2-3	-	14.9	BLU BLUE	03-B
3		1-282003-3	V	2-282003-3	V	1S 3D	1-2	-	14.9	VERDE GREEN	03-F
3		1-282003-4	V	2-282003-4	V	2D 3D	2-3	-	14.9	ROSSO RED	03-B
3		1-282003-5	V	2-282003-5	V	2D 3D	2-3	-	14.9	GRIGIO GREY	03-B
3		1-282003-6	V	2-282003-6	V	-	1-2	-	14.9	VIOLA VIOLET	-
3		1-282003-7	V	-	-	2D 3D	2-3	-	14.9	NERO BLACK	03-B
3		3-282003-3	I	-	-	1S 1D	1-2	-	14.9	-	-
3		3-282003-4	I	-	-	1D - 2S 2D - 3S	1-2	-	14.9	-	-
3		3-282003-5	I	-	-	1S 3D	2-3	-	14.9	-	-
3		3-282003-6	AA	-	-	1S - 1D 2S - 2D	1-2	-	14.9	-	-
3		0-282233-2	V	2-282233-2	V	1S 5	1-2	-	14.9	-	03-D
3		1-284396-1	Z	-	-	2S	2-3	-	14.9	NERO BLACK	-

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

LATO BANDA COLORATA
(COLOR STRIP SIDE)

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

POLARIZZAZIONE
(POLARIZATION)

POLARIZZAZIONE
(POLARIZATION)

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

CODIFICA SPECIALE
(SPECIAL CODIFICATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI CHK G. TURCO APVD G. TURCO PRODUCT SPEC	23JUL1995 23JUL1995	NAME		MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES FINISH		108-20065-1, 108-20065-2 APPLICATION SPEC		114-20016, 114-20016-1	
MATERIAL SEE TABLE		SEE TABLE		WEIGHT -		RESTRICTED TO -	
Customer Drawing				SCALE -	SHEET 2	OF 6	REV AA39

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA			
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
4		1-282004-1	V	2-282004-1	V	1D ⑤	1-2 3-4	2D	19.9	GRIGIO GREY	04-A
4		1-282004-2	V	2-282004-2	V	3D ⑤	2-3	-	19.9	NERO BLACK	04-D
4		1-282004-3	V	2-282004-3	V	1D ⑤	1-2 3-4	2D	19.9	ROSSO RED	04-A
4		1-282004-4	S	-	-	3D	1-2	-	19.9	BLU BLUE	-
4		3-282004-4	AA	-	-	4D 1S	3-4 1-2	-	19.9	-	04-A
4		4-282004-4	I	-	-	4D 1S-1D-2S-2D 3S-3D-4S-4D AS-BD-CS-DD	3-4 1-2	-	19.9	-	-
5		1-282005-1	V	2-282005-1	V	4D ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-1	Z	-	-	2S ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-2	A	-	-	1S 5D	- 3-4	3D	24.9	-	-
5		1-284545-3	A	-	-	1S 5D	1-2 3-4	-	24.9	BLU BLUE	-
5		1-293003-5	Z	-	-	-	4-5	-	24.9	NERO BLACK	-
6		1-282006-2	V	2-282006-2	V	2S 5D	2-3	-	29.9	VIOLA VIOLET	-
6		1-282006-3	V	2-282006-3	V	2S - 3D 4D - 5D	4-5	-	29.9	-	-
6		2-282006-4	V	-	-	3D 5D	-	5S	29.9	NERO BLACK	-
6		1-284745-1	Z	-	-	6D ⑤	4-5	-	29.9	ROSSO RED	-
6		1-284745-2	I	-	-	6D ⑤	-	4D	29.9	RED	-
6		1-284745-3	AA	-	-	5D ⑤	3-4	-	29.9	VIOLET	-
6		1-284745-4	AA	-	-	1S ⑤	2-3	-	29.9	ORANGE	-
7		1-282007-1	V	2-282007-1	V	1D ⑤ 5D	1-2 5-6	3S	34.9	-	-
7		2-282007-2	V	-	-	4D 6D	-	6S	34.9	VIOLA VIOLET	-
7		2-282007-3	I	-	-	1S - 2S - 2D 3S - 3D - 4D 5S - 6S - 6D 7S - 7D	1-2 5-6	-	34.9	-	-
7		3-282007-2	AA	-	-	-	1-2 5-6	5S	34.9	-	-
7		1-284397-1	Z	-	-	2D	1-2 5-6	-	34.9	NERO BLACK	-
7		1-293004-7	Z	-	-	-	1-2 5-6	-	34.9	ROSSO RED	-
7		2-293004-7	I	-	-	-	1-2 5-6	-	34.9	GRIGIO GREY	-
8		0-284085-1	V	2-284085-1	V	2D - 6S 4D - 6D	-	4S	39.9	-	-
8		0-284085-2	V	2-284085-2	V	-	2-3	-	39.9	VIOLA VIOLET	-

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES

±:
±:
±:
±:
±:
±

>0.3

±

FINISH

SEE TABLE

DWN G. ENDRIZZI 23JUL1995
CHK G. TURCO 23JUL1995
APVD G. TURCO 23JUL1995
PRODUCT SPEC 108-20065-1, 108-20065-2
APPLICATION SPEC 114-20016, 114-20016-1
WEIGHT -

Customer Drawing

SCALE -

SHEET 3 OF 6

REV AA39

TE Connectivity

NAME

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

1471-9 (3/11)

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI								
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
10		1-282010-1	V	2-282010-1	V	6D 8S	4-5 8-9	6S	49.9	-	-
10		0-284004-1	V	-	-	6D 8S	4-5 8-9	6S	49.9	-	-

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	 TE Connectivity					
		CHK G. TURCO 23JUL1995						
DIMENSIONS: mm		APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS. -					
		PRODUCT SPEC 108-20065-1, 108-20065-2						
		APPLICATION SPEC 114-20016, 114-20016-1	SIZE	CAGE CODE	DRAWING NO		RESTRICTED TO	
MATERIAL		WEIGHT -	A200779		C-282002		-	
SEE TABLE		Customer Drawing		SCALE -		SHEET 4 OF 6		REV AA39
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		0.3 ±						
SEE TABLE								

4		3		2		1															
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION				LOC		DIST		REVISIONS											
© COPYRIGHT 2011		ALL RIGHTS RESERVED.				-		-		P		LTR		DESCRIPTION		DATE		DWN		APVD	
														SEE SHEET 1							
10 10																					
	No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE FAST-5 POLARIZ.									
	2		2293382-2	AA			1S 2D	1-2	-	9.9		02-B 02-E 02-F									
	2		1-2293382-2	AA			1S 2D	1-2		9.9	GREEN	02-B 02-E 02-F									
	2		2-2293382-2	I			1D 2D	1-2	-	9.9											
	2		3-2293382-2	AA			1D 2S	1-2	-	9.9	BLUE	02-A									
	2		4-2293382-2	I			1S 1D	1-2	-	9.9											
	2		5-2293382-2	AA			1S 2D	1-2	-	9.9	GREY	02-B 02-E 02-F									
	2		6-2293382-2	AA			1D 2S	1-2	-	9.9	-	02-A									
	3		2293382-3	AA			2S	2-3	-	14.9											
	3		1-2293382-3	AA			-	1-2	-	14.9	VIOLET	-									
	3		2-2293382-3	AA			1D	1-2	-	14.9	ORANGE	03-A 03-I									
	3		3-2293382-3	I			1S 1D	1-2	-	14.9											
	3		4-2293382-3	AA			1D 2S 2D 3S	1-2	-	14.9											
	3		5-2293382-3	I			1S 3D	2-3	-	14.9											
	3		6-2293382-3	AA			1S 2S 1D 2D	1-2	-	14.9											
	3		7-2293382-3	AA			1S 3D	1-2		14.9	GREEN	03-F									
	4		2293382-4	AA			1D	1-2 3-4	2D	19.9	GREY	04-A									
	4		1-2293382-4	AA			1S 4D	1-2 3-4	-	19.9											
	4		2-2293382-4	I			TBD	TBD	TBD	19.9											
	5		2293382-5	AA			-	4-5	-	24.9											
	5		1-2293382-5	AA			-	3-4	3S	24.9											
	6		2293382-6	I			TBD	TBD	TBD	29.9											

PA GF, UL-VO GWEPT 750 ° C NO FLAME, NATURAL

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

0.3

SEE TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 23JUL1995
G. ENDRIZZI

CHK 23JUL1995
G. TURCO

APVD 23JUL1995
G. TURCO

PRODUCT SPEC
108-20065-1, 108-20065-2

APPLICATION SPEC
114-20016, 114-20016-1

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE
A260779

CAGE CODE
C=282002

DRAWING NO
-

RESTRICTED TO
-

SCALE
-

SHEET 5 OF 6

REV
AA39

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

-

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

PA GF, UL-V0 GWEPT 750° C NO FLAME, NATURAL

10

7

10

20

30

40

50

60

70

2293382-7

I

POLARIZ.
POSITION
(BACK SIDE)

LOCKING
POSITION
(FRONT SIDE)

SPECIAL
CODIFICAT.
POSITION
(FRONT SIDE)

L
(mm)

COLOR
CODE

POSSIBLE
RAST 5
POLARIZ.

7

10

20

30

40

50

60

70

2-2293382-7

I

1S 2S 2D
3S 3D 4D
5S 6S 6D
7S 7D

1-2
5-6

34.9

8

2293382-8

I

TBD

TBD

TBD

39.9

9

2293382-9

I

TBD

TBD

TBD

44.9

10

10

20

30

40

50

60

70

1-2293382-0

I

6D
8S

4-5
8-9

6S

49.9

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
G. ENDRIZZI
23JUL1995

CHK
G. TURCO
23JUL1995

APVD
G. TURCO
23JUL1995

PRODUCT SPEC
108-20065-1, 108-20065-2

APPLICATION SPEC
114-20016, 114-20016-1

WEIGHT
-

Customer Drawing

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.
-

SIZE
A260779

CAGE CODE
C-282002

DRAWING NO
C-282002

RESTRICTED TO
-

SCALE
-

SHEET
6

OF
6

REV
AA39

1471-9 (3/11)