

Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Item description/product images

INCH
Parts



Description

Material:

Handle die-cast zinc DIN EN 12844.

Steel parts grade 5.8.

Version:

Handle powder-coated or high-gloss chromed.

Steel parts black oxidized.

Note:

Standard colors are:

black satin finish, orange RAL 2004.

On request:

Other threads, colors and special versions.

Dimension "H1" available in other lengths at extra charge.

K0122 Inch

Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Item description/product images



Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Item description/product images




lift to
disengage



Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Drawings



Adjustable Handle, Modern Design Style, Zinc, with internal thread, components in steel

Order No.	Main color	Main material	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0122.0AD1	black	zinc	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AD2	orange RAL 2004	zinc	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AD27	ruby red	zinc	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AD3	silver metallic	zinc	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AD6	silver	zinc	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AE1	black	zinc	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AE2	orange RAL 2004	zinc	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AE27	ruby red	zinc	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AE3	silver metallic	zinc	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0AE6	silver	zinc	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A01	black	zinc	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A02	orange RAL 2004	zinc	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A027	ruby red	zinc	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A03	silver metallic	zinc	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A06	silver	zinc	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A11	black	zinc	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A12	orange RAL 2004	zinc	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16

Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Order No.	Main color	Main material	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0122.0A127	ruby red	zinc	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A13	silver metallic	zinc	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A16	silver	zinc	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A21	black	zinc	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A22	orange RAL 2004	zinc	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A227	ruby red	zinc	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A23	silver metallic	zinc	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.0A26	silver	zinc	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0122.1AE1	black	zinc	1	8-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1AE2	orange RAL 2004	zinc	1	8-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1AE27	ruby red	zinc	1	8-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1AE3	silver metallic	zinc	1	8-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1AE6	silver	zinc	1	8-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A02	orange RAL 2004	zinc	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A01	black	zinc	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A027	ruby red	zinc	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A03	silver metallic	zinc	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A06	silver	zinc	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A11	black	zinc	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A12	orange RAL 2004	zinc	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A127	ruby red	zinc	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A13	silver metallic	zinc	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A16	silver	zinc	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A21	black	zinc	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A22	orange RAL 2004	zinc	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A227	ruby red	zinc	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A23	silver metallic	zinc	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.1A26	silver	zinc	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0122.2A21	black	zinc	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A22	orange RAL 2004	zinc	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A227	ruby red	zinc	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A23	silver metallic	zinc	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A26	silver	zinc	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A31	black	zinc	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A32	orange RAL 2004	zinc	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A327	ruby red	zinc	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A33	silver metallic	zinc	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.2A36	silver	zinc	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0122.3A31	black	zinc	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A32	orange RAL 2004	zinc	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A327	ruby red	zinc	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A33	silver metallic	zinc	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A36	silver	zinc	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A41	black	zinc	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A42	orange RAL 2004	zinc	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A427	ruby red	zinc	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A43	silver metallic	zinc	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.3A46	silver	zinc	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0122.4A41	black	zinc	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A42	orange RAL 2004	zinc	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A427	ruby red	zinc	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A43	silver metallic	zinc	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A46	silver	zinc	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A51	black	zinc	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A52	orange RAL 2004	zinc	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A527	ruby red	zinc	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A53	silver metallic	zinc	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.4A56	silver	zinc	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0122.5A51	black	zinc	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A52	orange RAL 2004	zinc	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A527	ruby red	zinc	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A53	silver metallic	zinc	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A56	silver	zinc	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26

Adjustable Handles, Modern Design Style, Zinc inserts and internal components steel, internal thread, inch

Order No.	Main color	Main material	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0122.5A61	black	zinc	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A62	orange RAL 2004	zinc	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A627	ruby red	zinc	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A63	silver metallic	zinc	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0122.5A66	silver	zinc	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26